

LANDSLIDE OCCURRENCE IN THE TERRITORY OF OUR REPUBLIC AND
MEASURES TO PREVENT THEM

Mamadaliyev Adkhamjon Tukhtamirzaevich

Namangan Institute of Engineering and Construction

12, I. Karimov street, Namangan district, 160103

Abstract: *This article provides information about landslides in our republic, their causes, and measures to protect the population in the event of a landslide.*

Key words: *Landslide event, landslide base, elements of landslide, rock, Shaulisoy landslide, signs of landslide danger, size of landslide, Ugoi landslide.*

The sliding phenomenon is characteristic of mountainous regions of the earth, river valleys, sea coasts, hydrodynamic, hydrostatic, seismic of healthy soils (loess rocks) on mountain slopes, river valleys and sea coasts, sedimentary rock mass such as clay, limestone, shale, sand, sandstone. it occurs as a result of moving from top to bottom with its own weight under the influence of forces.

The slope of impermeable rocks under the soil on the slopes plays an important role in the occurrence of landslides. If the slope of the impermeable rocks is suitable for the terrain, the higher is the landslide potential of the mass lying on it. In order for landslides to occur, as a result of rainfall in landslide-prone areas, the soil mass on the slope becomes saturated with moisture, becomes liquefied, and descends along the surface of the impermeable rocks underlying the soil. moves in a hurry.

The volume of the landslide can be from several ten thousand m³ to several hundred thousand m³ or more. Large-scale earthquakes move at high speed in their direction, destroy all living things, destroy crops, destroy settlements, civil and industrial facilities, and highways.

Therefore, landslides are one of the most dangerous natural disasters, just like earthquakes. Many landslides and landslides have been observed in the territories of the Republics of Central Asia to date. Chaulisoy landslide - April 30, 1960, 30 people died, total mass 200 thousand m³, Khojikent landslide - 1961, 12 people killed, total mass 1000 m³, Jigaristan landslide - May 4, 1991, 56 people died, total mass 176 thousand m³, Aktash landslide - March 11, 1993, 5 people the total mass is 80 thousand m³, Karakisloq landslide - March 29, 1994, 3 people died, the total mass was 400 thousand m³.

For example, on February 11, 1911, there was a 9-point earthquake in the Muzkol mountain range of the Pamirs, as a result of which the Ugoi landslide occurred. The landslide pushed 2.5 km³ of rock to a distance of 2.5 km and blocked the Murgob river. As a result of the disaster, the village of Ugoi fell under a landslide and 54 people died.

Today, the world-famous Sorez lake has appeared here in front of a natural dam with a depth of 703-788 m and a width of 4.3-5.3 km.

In 1991, another powerful "Jigharistan" earthquake occurred in Ohangaron Valley. Here, the volume is 30 mln. More than 50 people living in the area were killed by the landslide as a result of the 7-second slide of porous soil measuring m³. The reason for the landslide is that the area where the village is located is located at the bottom of the slope, the rocks located on the slope are made of thick chert rocks, blasting has been carried out on these rocks for many years, and It is explained that there was a lot of precipitation that year. Many more such examples can be given.

Residents living in areas prone to landslides should have information about the signs, description and danger of landslides and know what to do in case of such a situation.

Signs of avalanche danger include:

- changes in the surface and relief of mountains and hills, sudden disappearance of spring water or change of its direction of movement;
- piles of soil and stones of various shapes and the appearance of cracks on the surface of the earth, the occurrence of interruptions in the roads and crooked growth of trees;
- in places with a risk of landslides or at the bottom of the slopes, the soil pushes and forms mounds;
- appearance of cracks in the walls of buildings and private houses located around the area where landslides are likely to occur.

Usually, these signs appear as a result of rains and snow melt in spring and autumn.

Failure to follow the rules of land development and irrigation without properly studying the soil layer of the mountains and hills also leads to excess moisture in the soil and the development of landslides. Man-made changes such as mining of minerals, construction of railways and highways, laying of water and gas pipelines, cutting of forests and bushes, especially in areas with a risk of landslides, also cause landslides. speeds up the process.

First of all, people living in landslide-prone areas need to know in advance whether their house is at risk of falling under a landslide. Usually, it is not possible to build buildings for living or other purposes on the lands where there is a risk of landslides. If there is a risk of landslides in a populated area, about it residents will be warned by local authorities and moved to safe places according to a pre-arranged plan.

To date, state services for monitoring landslides have been established in all mountainous and sub-mountainous regions of our Republic, and they carry out scientific research on the investigation of dangerous geological processes, including areas with a risk of landslides.

they carry out their work. Employees of the state surveillance service identify all dangerous processes in the area, determine measures to eliminate them. If there is such a danger, they will send out warning letters to the local authorities about it and help to set measures to warn the population.

Obligations of citizens living in landslide-prone areas include:

- strictly comply with the instructions and warning procedures of the responsible persons set by the local authority about the possibility of an avalanche;
- active participation in the elimination of a landslide when it occurs;
- immediately inform the assembly of citizens about the possibility of a landslide;
- participation in the quick relocation of the population in places where landslides occurred to safe areas;
- to put signs in dangerous areas and to help the employees of the surveillance service in other work.

Precautions to be taken in the event and prevention of landslides include the following:

As a result of inspections, it is strictly prohibited for people to live in the areas where it is found that the pushing event will occur. Digging ditches, building roads, plowing, cutting trees will be prohibited in this area. If the thrust event is ongoing, it is continuously monitored, and the nature of the thrust is studied. For this, it is necessary to install rapiers, drill wells, place flexible plastic devices inside them, and install sliding rails if it is necessary to take into account the expansion of cracks. If the sliding area is not too big, stone and reinforced concrete walls are built in its lower part - on the way. If the landslide event covers a very large area, it is more difficult to prevent it and cannot be contained by reinforced concrete walls. In such cases, open and closed waterways (drainages) are dug to ensure the outflow of existing underground seepage water in this area. Sometimes, trenches are dug in the soil layers and heated to a high temperature (more than 800°) by burning high-heat fuels in these trenches, during which the water in the soil core evaporates, the physical and mechanical properties of the soil change, as a result, the sliding mass remains in place.

In some cases, there are layers of sand, sandy soil, and gravel of different thicknesses between the sliding layer and the underlying rock, through which seepage water seeps out, and during long periods of time, seepage water constantly removes small sand and soil particles from these layers. adhesion to the lower layer is reduced. As a result, the thrust force exceeds the holding force and a thrust event may occur. In such cases, the thickness of this intermediate layer (sand, gravel layer) is the amount of water that flows out of it, the place where the seepage water appears is studied, the flow path of the seepage water is changed, or wells (drainage) are dug, pumps are installed in these wells, and the water is pumped with the help of pumps. absorbed.

Taking into account the fact that landslides have such a destructive nature, in 1958 in Uzbekistan, the engineer-geological State Monitoring Service was established to monitor them specially.

Currently, the State Surveillance Service has 7 regional surveillance stations and 21 posts on the territory of our country. There are more than 8,000 economic objects, 144 health care complexes, 170 highway areas, more than 20 mining and hydrotechnical facilities in their observation areas. The State Surveillance Service is working around the clock with the staff of the Ministry of Emergency Situations. The first problem in the study of landslides is the abstraction of the time of their occurrence. Because landslides are dangerous geological processes that develop accidentally. The surest way to prevent landslides is to warn people in time and move them to safe places.

LITERATURE:

1.Мамадалиев А.Т., Мамаджанов ЗН. Фавқулодда вазиятлар ва аҳоли муҳофазаси.

Дарслик. Тошкент. 2022й

2. Mamadaliyev, A. T., & Bakhridinov, N. S. (2022). Teaching the subject of engineering geology on the basis of new pedagogical technology. *Scientific Impulse*, 1(5).

3. Nematjonovich, M. Z., & Tukhtamirzaevich, M. A. (2023). PRODUCTION OF LIQUID FERTILIZERS AND THEIR SIGNIFICANCE IN THE ECONOMY. *PRINCIPAL ISSUES OF SCIENTIFIC RESEARCH AND MODERN EDUCATION*, 2(1).

4. Tukhtamirzaevich, M. A., & Gulomjonovna, Y. Y. (2022, December). USE OF NEW PEDAGOGICAL TECHNOLOGIES IN TEACHING THE SUBJECTS OF INDUSTRIAL SANITATION AND LABOR HYGIENE. In *Proceedings of International Conference on Modern Science and Scientific Studies* (Vol. 1, No. 3, pp. 378-386).

5. Sadriddinovich, B. N., & Tukhtamirzaevich, M. A. (2022). DEVELOPMENT OF PRODUCTION OF BUILDING MATERIALS IN THE REPUBLIC OF UZBEKISTAN THROUGH INNOVATIVE ACTIVITIES. *Scientific Impulse*, 1(4), 213-219.

6. Tukhtamirzaevich, M. A. (2022, December). DIMENSIONS AND JUSTIFICATION OF OPERATING MODES FOR PANING DEVICE OF HAIRD COTTON SEEDS WITH MACRO AND MICRO FERTILIZERS. In *International scientific-practical conference on" Modern education: problems and solutions"* (Vol. 1, No. 5).

7. Tukhtamirzaevich, M. A. (2022, December). RESULTS OF LABORATORY-FIELD TESTING OF HAIRDY SEEDS COATED WITH MINERAL FERTILIZERS. In *Proceedings of International Educators Conference* (Vol. 1, No. 3, pp. 528-536).

8. РИЗАЕВ, Б., МАМАДАЛИЕВ, А., МУХИТДИНОВ, М., & ОДИЛЖАНОВ, А. ЭКОНОМИКА И СОЦИУМ. *ЭКОНОМИКА*, 461-467.
9. Гафуров, К., Мамадалиев, А. Т., Мамаджанов, З. Н., & Арисланов, А. С. Комплекс минерал озукаларни хўжаликлар шароитида тайёрлаш ва қишлоқ хўжалиги уруғларини макро ва микро ўғитлар билан қобиклаш. Copyright 2022 Монография. Dodo Books Indian Ocean Ltd. and Omniscrbtum S.
10. Akhmadjanovich, M. A. T. T. A. (2022). KO 'SHKINING YUZAGA KELISH SABABLARI VA UNING OLDINI OLISH CHORA-TADBIRLARI. *PRINCIPAL ISSUES OF SCIENTIFIC RESEARCH AND MODERN EDUCATION*, 1(10).
11. РУз, П. IAP 03493. Способ покрытия поверхности семян сельскохозяйственных культур защитно-питательной оболочкой и устройства для его осуществления/К. Гафуров, А. Хожиев, АТ Росабоев, АТ Мамадалиев. *БИ-2007*, 11.
12. Бахриддинов, Н. С., & Мамадалиев, А. Т. (2022). Преимущество отделения осадков, образующихся при концентрировании экстрагируемых фосфорных кислот. *Scientific Impulse*, 1(5), 1083-1092.
13. Мамадалиев, А. Т. (2022, December). ИНЖЕНЕРЛИК ГЕОЛОГИЯСИ ФАНИ МАВЗУСИНИ ЯНГИ ПЕДАГОГИК ТЕХНОЛОГИЯ АСОСИДА ЎҚИТИШ. In *Proceedings of International Educators Conference* (Vol. 1, No. 3, pp. 494-504).
14. Bakhriddinov, N. S., & Mamadaliyev, A. T. (2022). DEVELOPMENT OF PRODUCTION OF BUILDING MATERIALS IN THE REPUBLIC OF UZBEKISTAN THROUGH INNOVATIVE ACTIVITIES. *Новости образования: исследование в XXI веке*, 1(4).
15. Mamadaliyev, A. T., & Umarov, I. (2022). Texnikaning rivojlanish tarixi. *PEDAGOGS jurnali*, 2(1), 232-235.
16. Mamadaliyev, A. T. (2022). The movement of the population when a flood happens. *Scientific Impulse*, 1(5).
17. Mamadaliyev, A. T. (2022). Naturally occurring carbonate minerals and their uses. *Scientific Impulse*, 1(5).
18. Tukhtamirzaevich, M. A., Karimov, I., & Sadriddinovich, B. N. (2022). TEACHING THE SUBJECT OF ENGINEERING GEOLOGY ON THE BASIS OF NEW PEDAGOGICAL TECHNOLOGY. *Scientific Impulse*, 1(5), 1064-1072.
19. Tukhtamirzaevich, M. A. (2022). NATURALLY OCCURRING CARBONATE MINERALS AND THEIR USES. *Scientific Impulse*, 1(5), 1851-1858.
20. Мамадалиев, А. Т. (2022). Карбонатли минераллар ва уларнинг халқ хўжалигидаги аҳамияти. *PRINCIPAL ISSUES OF SCIENTIFIC RESEARCH AND MODERN EDUCATION*, 1(10).
21. Tukhtamirzaevich, M. A., & Akhmadjanovich, T. A. (2022). CAUSES OF THE OCCURRENCE OF LANDSLIDES AND MEASURES FOR ITS PREVENTION. *Scientific Impulse*, 1(5), 2149-2156.

22. Tuxtamirzaevich, M. A., & Axmadjanovich, T. A. (2023). SUV TOSHQINI SODIR BOLGANDA AHOLINING HARAKATI. *PRINCIPAL ISSUES OF SCIENTIFIC RESEARCH AND MODERN EDUCATION*, 2(1).

23. Tuxtamirzayevich, M. A. (2020). Study of pubescent seeds moving in a stream of water and mineral fertilizers. *International Journal on Integrated Education*, 3(12), 489-493.

24. Мамадалиев, А. Т. (2023, January). ЎЗБЕКИСТОН РЕСПУБЛИКАСИ ХУДУДЛАРЛАРИДА СЕЛ КЕЛИШИ ВА УНДА АҲОЛИНИНГ ҲАРАКАТИ. In *Proceedings of International Conference on Scientific Research in Natural and Social Sciences* (Vol. 2, No. 1, pp. 211-220).

25. Mamadaliev, A. T., & Turgunov, A. A. (2022). Causes of the occurrence of landslides and measures for its prevention. *Scientific Impulse*, 5, 100.

26. Mamadaliev AT, T. A. (2022). Suv toshqini sodir bolganda aholining harakati. *PRINCIPAL ISSUES OF SCIENTIFIC RESEARCH AND MODERN EDUCATION*, 1(10).

27. Tukhtamirzaevich, M. A. (2022). FLOODING IN THE TERRITORY OF THE REPUBLIC OF UZBEKISTAN AND THE MOVEMENT OF THE POPULATION THEREIN. *Scientific Impulse*, 1(5), 2285-2291.

28. Tuxtamirzaevich, M. A. (2021). Presowing Treatment of Pubescent Cotton Seeds with a Protective and Nutritious Shell, Consisting of Mineral Fertilizers in an Aqueous Solution and a Composition of Microelements. *Design Engineering*, 7046-7052.

29. Мамадалиев, А. Т. (2021). Теоретическое обоснование параметров чашеобразного дражирующего барабана. *Universum: технические науки*, (6-1 (87)), 75-78.

30. Росабоев, А., & Мамадалиев, А. (2013). Предпосевная обработка опушенных семян хлопчатника защитно-питательной оболочкой, состоящей из композиции макро и микроудобрений. *Теоритические и практические вопросы развития научной мысли в современной мире: Сборник статей. Уфа Риц БашГУ*, 174-176.

31. Гафуров, К., Росабоев, А., & Мамадалиев, А. (2007). Дражирование опушенных семян хлопчатника с минеральным удобрением. *ФарПИ илмий-техник журнали.–Фаргона*, (3), 55-59

32. Росабоев, А. Т., & Мамадалиев, А. Т. (2017). Теоретическое обоснование движения опушенных семян хлопчатника после поступления из распределителя в процессе капсулирования. *Science Time*, (5), 239-245.

33. Mamadaliyev, A. T. (2021). son Bakhtiyor Maqsud, Umarov Isroil. *Study of the movement of pubescent seed s in the flow of an aqueous solution of mineral fertilizers. A Peer Reviewed Open Access International Journal*, 10(06), 247-252.

34. Росабоев, А. Т., Мамадалиев, А. Т., & Тухтамирзаев, А. А. У. (2017). Теоретическое обоснование параметров капсулирующего барабана опушенных семян. *Science Time*, (5 (41)), 246-249.

35. Мамадалиев, А. Т., & Мамаджанов, З. Н. (2022). Минерал ўғитлар ва микроэлементли композицияларни сувдаги эритмаси билан қобиқланган тукли чигитларни лаборатория-дала шароитида синаш натижалари. *Экономика и социум*, (2), 93.

36. Мамадалиев, А. Т. (2022). Уруғлик чигитларни макро ва микроўғитлар билан қобиқловчи қурилманинг ўлчамлари ва иш режимларини асослаш. In *МИРОВАЯ НАУКА 2022. ПРОБЛЕМЫ И ПЕРСПЕКТИВЫ РАЗВИТИЯ. МЕЖДУНАРОДНЫЕ КОММУНИКАЦИИ* (pp. 54-57).

37. Мамадалиев, А. Т. (2013). Институт механизации и электрификации сельского хозяйства, г. Янгийул, Республика Узбекистан. *Редакционная коллегия*, 174.

38. Rosaboev, A., & Mamadaliyev, A. (2019). Theoretical substantiation of parameters of the cup-shaped coating drums. *International Journal of Advanced Research in Science, Engineering and Technology*, 6(11), 11779-11783.

39. Гафуров К., Абдуллаев М., Мамадалиев А., Мамаджанов З., Арисланов А. Уруғлик чигитларни макро ва микроўғитлар билан қобиқлаш. Монография. 2022. Dodo Bools Indian Ocean Ltd.and Omniscrbtum S.R.L Publishing grouр

40. Mamadaliyev, A. (2002). УРУҒЛИК ЧИГИТЛАРНИ МАКРО ВА МИКРОЎҒИТЛАР КОМПОЗИЦИЯЛАРИ БИЛАН ҚОБИҚЛАШ ТЕХНОЛОГИЯСИ ВА ҚУРИЛМАЛАРИ. *Scienceweb academic papers collection*.

41. Росабоев, А. Т., & Мамадалиев, А. Т. (2017). Тухтамирзаев ААУ Теоретическое обоснование параметров капсулирующего барабана опушенных семян. *Science Time*, (5), 41.

42. Mamadaliyev, A. (2021). Theoretical study of the movement of macro and micro fertilizers in aqueous solution after the seed falls from the spreader. *Scienceweb academic papers collection*.

43. Mamadaliyev, A. (2019). THEORETICAL SUBSTANTIATION OF PARAMETERS OF THE CUP-SHAPED COATING DRUMS. *Scienceweb academic papers collection*.

44. Росабоев, А. Т., & Мамадалиев, А. Т. (2013). старший преподаватель кафедры экологии и охраны труда Наманганского инженерно-педагогического института, г. Наманган, Республика Узбекистан. *Редакционная коллегия*, 174.

45. Umarov, I. I., Mukhtoraliyeva, M. A., & Mamadaliyev, A. T. (2022). Principles of training for specialties in the field of construction. *Jurnal. Актуальные научные исследования в современном мире. UKRAINA.–2022*.

46. Mamadaliyev, A. ТУКЛИ ЧИГИТЛАРНИ МИНЕРАЛ УЎГИТЛАР БИЛАН ОБЎҚЛОВЧИ УРИЛМАНИНГ КОНУССИМОН ЁЙГИЧИ ПАРАМЕТРЛАРИНИ АСОСЛАШ. *Scienceweb academic papers collection-2014*.

47. Mamadaliyev, A. ТУКЛИ ЧИГИТЛАРНИ ОБЎҚЛАШ БАРАБАНИНИНГ ПАРАМЕТРЛАРИНИ НАЗАРИЙ АСОСЛАШ. *Scienceweb academic papers collection.-2012*.

48. Mamadaliev, A. (2014). ТУКЛИ ЧИГИТЛАРНИ МИНЕРАЛ ЎҒИТЛАР БИЛАН ҚОБИҚЛОВЧИ ҚУРИЛМАНИНГ КОНУССИМОН ЁЙГИЧИ ПАРАМЕТРЛАРИНИ АСОСЛАШ. *Scienceweb academic papers collection*.

49. Mamadaliev, A. (2012). ТУКЛИ ЧИГИТЛАРНИ ҚОБИҚЛАШ БАРАБАНИНИНГ ПАРАМЕТРЛАРИНИ НАЗАРИЙ АСОСЛАШ. *Scienceweb academic papers collection*.

50. Mamadaliev, A. (2003). ҚИШЛОҚ ХЎЖАЛИК ЭКИНЛАРИ УРУҒЛАРИНИНГ ЮЗИНИ ХИМОЯ-ОЗУҚА ҚОБИҒИ БИЛАН ҚОПЛАШ УСУЛИ ВА УНИ АМАЛГА ОШИРИШ УЧУН ҚУРИЛМА. *Scienceweb academic papers collection*.

51. Mamadaliev, A. ИШЛО^ ХУЖАЛИК ЭКИНЛАРИ УРУҒЛАРИНИНГ ЮЗИНИ ХИМОЯ-ОЗУ^ А^ ОБИГИ БИЛАН^ ОПЛАШ УСУЛИ ВА УНИ АМАЛГА ОШИРИШ УЧУН^ УРИЛМА. *Scienceweb academic papers collection*.-2003.

52. Тўхтақўзиева, Р. А., Мамадалиев, А. Тукли чигитларни қобиклаш барабанининг параметрларини назарий асослаш. ФарПИ илмий-техник журнали. *Фаргона, 2012йм (2)*, 34-36.

53. Гафуров, К., Шамшидинов, И. Т., Арисланов, А., & Мамадалиев, А. Т. (1998). Способ получения экстракционной фосфорной кислоты. *SU Patent, 5213*.

54. Тухтақўзиев, А., Росабоев, А., Мамадалиев, А., & Имомқулов, У. (2014). Тукли чигитларни минерал ўғитлар билан қобикловчи қурилманинг конуссимон ёйгичи параметрларини асослаш. *ФарПИ илмий-техник журнали.–Фаргона, 2*, 46-49.

55. Тўхтақўзиев, А., Росабоев, А., & Мамадалиев, А. Тукли чигитларни қобиклаш барабанининг параметрларини назарий асослаш. ФарПИ илмий-техник журнали. *Фаргона, 2012йм (2)*, 34-36.

56. Tukhtamirzaevich, M. A. (2023). PLANTING SEEDS WITH NITROGEN PHOSPHORUS FERTILIZERS. *PRINCIPAL ISSUES OF SCIENTIFIC RESEARCH AND MODERN EDUCATION*, 2(1).

57. Sh, B. (2022). Rizaev, AT Mamadaliyev, II Umarov. Deformativity of reinforced concrete columns from heavy concrete under conditions dry hot climate. *Universum. Технические науки: электрон научн. журн, 1*, 94.

58. Ризаев, Б. Ш., Мамадалиев, А. Т., Фозилов, О. К., & Шаропов, Б. Ў. (2022). ПРОЧНОСТНЫЕ ХАРАКТЕРИСТИКИ ЛЕГКОГО БЕТОНА НА ПОРИСТЫХ ЗАПОЛНИТЕЛЯХ. *Universum: технические науки, (6-3 (99))*, 11-15.

59. Mukhtoraliyeva, M. A., Mamadaliyev, A. T., Umarov, I. I., & Sharopov, B. X. Development of technology on the basis of scientific achievements. *« Матрица научного познания, 28*, 4-12.

60. Мамадалиев, А. Т., & Мухторалиева, М. А. БХ Шаропов Принципы обучения специальностям в области строительства. *Научный электронный журнал «матрица научного познания*.

61. Шамшидинов И. Т., Тураев, З., Мамаджанов З.Н., Мамадалиев А.Т., Уктамов, Д. А. Таркибида кальций тутган микроэлементли азот-фосфорли ўғитлар олишда куйи навли (-15%P₂O₅) фосфоритлардан фойдаланиш. Ўзбекистон Республикаси Фанлар Академиясининг маърузалари.2015.№3. 57-61б

62. Шамшидинов И. Т., Тураев З., Мамаджанов З.Н., Мамадалиев А.Т., Уктамов Д. Получение микроэлемент содержащих удобрений типа двойного суперфосфата с использованием бедных фосфоритов.Узбекский химический журнал.2015. №3. С-62-66

63.Шамшидинов И. Т., Тураев З., Мамаджанов З.Н, Мамадалиев А.Т.Экстракцион фосфат кислотани махаллий бўр хом ашёси билан нейтраллаш орқали давлат стандартлари асосида фосфорли ўғит олиш. IV халқаро илмий -амалий конференция материаллари. 2015йил. 14май.109-111б.

64. Шамшидинов, И., Мамаджанов, З. , Мамадалиев, А., Ахунов Д. Ангрн каолинларига термик ишлов бериш жараёнини саноат шароитида ўзлаштириш //ФарПИ илмий-техник журнали.–Фарғона. – 2014. – Т. 4. – С. 78-80.

65. Ризаев, Б. Ш., Мамадалиев, А. Т., & Умаров, И. И. (2022). Деформации усадки бетона в условиях сухого жаркого климата. *Экономика и социум*, 1, 92.

66. Ризаев, Б. Ш., Мамадалиев, А. Т., Мухитдинов, М. Б., & Мухторалиева, М. А. (2022). Прочностные и деформативные свойства внецентренно-сжатых железобетонных колонн в условиях сухого жаркого климата. *Научный электронный журнал «матрица научного познания*, 27.

67.Ризаев, Б. Ш., Мамадалиев, А. Т., Мухитдинов, М. Б., & Одилжанов, А. З. Ў. (2022). ВЛИЯНИЕ АГРЕССИВНЫХ СРЕД НА ДОЛГОВЕЧНОСТЬ ЛЕГКОГО БЕТОНА. *Universum: технические науки*, (2-2 (95)), 47-51.

68.Bakhodir, R., Adkhamjon, M., & Bakhtiyorovich, M. M. (2022). SHRINKAGE DEFORMATIONS OF CONCRETE IN NATURAL CONDITIONS OF THE REPUBLIC OF UZBEKISTAN. *Universum: технические науки*, (2-7 (95)), 20-24.

69. Sh, B. R., Mamadaliyev, A. T., Mukhitdinov, M. B., & Mukhtoraliyeva, M. A. (2022). Study of changes in the strength and deformation properties of concrete in a dry hot climate. *Universum. Технические науки: электрон научн. журн*, 4, 97.

70.Ризаев, Б. Ш., Мамадалиев, А. Т., Мухторалиева, М. А., & Назирова, М. Х. (2022). Эффективные легкие бетоны на их основе пористых заполнителей. *In Современные тенденции развития науки и мирового сообщества в эпоху цифровизации* (pp. 121-125).

71.Мамадалиев, А. Т., & Мухитдинов, М. Б. Доцент Наманганский инженерно-строительный института Республика Узбекистан, г. Наманган. *НАУЧНЫЙ ЭЛЕКТРОННЫЙ ЖУРНАЛ «МАТРИЦА НАУЧНОГО ПОЗНАНИЯ*, 27.

72.Ризаев, Б. Ш., Мамадалиев, А. Т., & Мухитдинов, М. Б. (2022). РЕСПУБЛИКАМИЗ ТАБИЙ ИҚЛИМ ШАРОИТЛАРИДА ФОЙДАЛАНАЁТИЛГАН

БЕТОН ВА ТЕМИР БЕТОН КОНСТРУКЦИЯЛАРНИ ҲОЛАТИ. *Academic research in educational sciences*, 3(TSTU Conference 1), 643-647.

73. Мамадалиев, А. Т., Мухторалиева, М. А., & Шарапов, Б. Х. Матрица научного познания. *матрица научного познания Учредители: Общество с ограниченной ответственностью "Омега сайнс*, 137-143.

74. Ризаев, Б. Ш., Мамадалиев, А. Т., & Мухитдинов, М. Б. (2022). Қуруқ иссиқ иқлим шароитини темир-бетон элементлар ишига таъсирини тахлили. *barqarorlik va yetakchi tadqiqotlar onlayn ilmiy jurnali*, 2(7), 75-84.

75. Sh, B. (2022). Rizaev, AT Mamadaliyev, MB Muxitdinov. A. *Одилжанов. Анализ эффективности использования пористых заполнителей для лёгких бетонов. Экономика и социум*, 2, 93.